



Warmer | Safer | Smarter



Brackenwood

IMPROVING HOMES SINCE 1987

Quotation

Mrs POULTER
HOLY TRINITY CE PRIMARY SCHOOL
CHURCH ROAD
SUNNINGDALE
ASCOT
BERKSHIRE
SL5 0NJ



Brackenwood Windows Limited
Brackenwood House
Kimbell Road
Basingstoke
RG22 4AT

0800 253545





Mrs POULTER
HOLY TRINITY CE PRIMARY SCHOOL
CHURCH ROAD
SUNNINGDALE
ASCOT
BERKSHIRE
SL5 0NJ
Home: 01344620716
Mobile: .
Work: .
Email: fin.holysunn@holytrinity.primary.org

Design Proposal

Ref: HOLY TRINITY CE PRIMARY SCHOOL

This quotation is for Double Glazed Products

Brackenwood Windows Ltd does NOT supply Triple Glazed Products

Images are NOT exact representations of colour, shape, material or texture and are NOT to scale

For Exact Representations You Are Advised to Visit Our Showroom



Brackenwood

IMPROVING HOMES SINCE 1987


Quote no:
Ref: POULTER
Mrs POULTER

28th March 2023


(1) MEETING ROOM - uPVC - Casement Window - 2340 w x 2760 h

Qty 1

Viewed from Outside



Viewed from Inside



Glass/Panel/Composite Options:

Glass type: Double Glazed Float Glass
Glass type: Double Glazed Toughened Glass

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Frame Options:

Outer Frame Finish: Smooth White
Inner Frame Finish: Smooth White
Outer Sash Finish: Smooth White
Inner Sash Finish: Smooth White
Cill: 150mm
Cill Finish: Smooth White
Handle Finish: White
Restrictor: No Restrictor Included
Sash Horns: Not Included
Hinge type: Friction Stay Hinges
Trickle Vent: With Trickle Vent

Fitting Options:

Standard Fit
Use Existing Internal Cill
No Brickwork Construction Included
No Plastering Included
No Brickwork Removal Included
No Above Window Support Included
No Liners Included
No Tiled Cill Removal Included
No Timber Studding Included





Brackenwood

IMPROVING HOMES SINCE 1987


Quote no:
Ref: POULTER
Mrs POULTER

28th March 2023


(2) HALL - uPVC - Casement Window - 1500 w x 1560 h

Qty 1

Viewed from Outside



Viewed from Inside



Glass/Panel/Composite Options:

Glass type: Double Glazed Float Glass
Glass type: Double Glazed Toughened Glass

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Frame Options:

Outer Frame Finish: Smooth White
Inner Frame Finish: Smooth White
Outer Sash Finish: Smooth White
Inner Sash Finish: Smooth White
Cill: 150mm
Cill Finish: Smooth White
Handle Finish: White
Restrictor: No Restrictor Included
Sash Horns: Not Included
Hinge type: Friction Stay Hinges
Trickle Vent: With Trickle Vent

Fitting Options:

Standard Fit
Use Existing Internal Cill
No Brickwork Construction Included
No Plastering Included
No Brickwork Removal Included
No Above Window Support Included
No Liners Included
No Tiled Cill Removal Included
No Timber Studding Included





Brackenwood

IMPROVING HOMES SINCE 1987


Quote no:
Ref: POULTER
Mrs POULTER

28th March 2023


(3) HALL - uPVC - Casement Window - 1500 w x 1560 h

Qty 1

Viewed from Outside



Viewed from Inside



Glass/Panel/Composite Options:

Glass type: Double Glazed Float Glass
Glass type: Double Glazed Toughened Glass

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Frame Options:

Outer Frame Finish: Smooth White
Inner Frame Finish: Smooth White
Outer Sash Finish: Smooth White
Inner Sash Finish: Smooth White
Cill: 150mm
Cill Finish: Smooth White
Handle Finish: White
Restrictor: No Restrictor Included
Sash Horns: Not Included
Hinge type: Friction Stay Hinges
Trickle Vent: With Trickle Vent

Fitting Options:

Standard Fit
Use Existing Internal Cill
No Brickwork Construction Included
No Plastering Included
No Brickwork Removal Included
No Above Window Support Included
No Liners Included
No Tiled Cill Removal Included
No Timber Studding Included





Brackenwood

IMPROVING HOMES SINCE 1987


Quote no:
Ref: POULTER
Mrs POULTER

28th March 2023


(4) HALL - uPVC - Casement Window - 2750 w x 1300 h

Qty 1

Viewed from Outside



Viewed from Inside



Glass/Panel/Composite Options:

Glass type: Double Glazed Toughened Glass

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Frame Options:

Outer Frame Finish: Smooth White
Inner Frame Finish: Smooth White
Outer Sash Finish: Smooth White
Inner Sash Finish: Smooth White
Cill: 150mm
Cill Finish: Smooth White
Handle Finish: White
Restrictor: No Restrictor Included
Sash Horns: Not Included
Hinge type: Friction Stay Hinges
Trickle Vent: With Trickle Vent

Fitting Options:

Standard Fit
Use Existing Internal Cill
No Brickwork Construction Included
No Plastering Included
No Brickwork Removal Included
No Above Window Support Included
No Liners Included
No Tiled Cill Removal Included
No Timber Studding Included

Item Notes:
TOP HUNG





Brackenwood

IMPROVING HOMES SINCE 1987


Quote no:
Ref: POULTER
Mrs POULTER

28th March 2023


(5) HAPPY HUB - uPVC - Casement Window - 2340 w x 2760 h

Qty 1

Viewed from Outside



Viewed from Inside



Glass/Panel/Composite Options:

Glass type: Double Glazed Float Glass
Glass type: Double Glazed Toughened Glass

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Frame Options:

Outer Frame Finish: Smooth White
Inner Frame Finish: Smooth White
Outer Sash Finish: Smooth White
Inner Sash Finish: Smooth White
Cill: 150mm
Cill Finish: Smooth White
Handle Finish: White
Restrictor: No Restrictor Included
Sash Horns: Not Included
Hinge type: Friction Stay Hinges
Trickle Vent: With Trickle Vent

Fitting Options:

Standard Fit
Use Existing Internal Cill
No Brickwork Construction Included
No Plastering Included
No Brickwork Removal Included
No Above Window Support Included
No Liners Included
No Tiled Cill Removal Included
No Timber Studding Included





Brackenwood

IMPROVING HOMES SINCE 1987


Quote no:
Ref: POULTER
Mrs POULTER

28th March 2023


(6) THE HALL - uPVC - Casement Window - 680 w x 2100 h

Qty 1

Viewed from Outside



Viewed from Inside



Glass/Panel/Composite Options:

Glass type: Double Glazed Float Glass
Glass type: Double Glazed Toughened Glass

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Frame Options:

Outer Frame Finish: Smooth White
Inner Frame Finish: Smooth White
Outer Sash Finish: Smooth White
Inner Sash Finish: Smooth White
Cill: 150mm
Cill Finish: Smooth White
Handle Finish: White
Restrictor: No Restrictor Included
Sash Horns: Not Included
Hinge type: Friction Stay Hinges
Trickle Vent: With Trickle Vent

Fitting Options:

Standard Fit
Use Existing Internal Cill
No Brickwork Construction Included
No Plastering Included
No Brickwork Removal Included
No Above Window Support Included
No Liners Included
No Tiled Cill Removal Included
No Timber Studding Included





Brackenwood

IMPROVING HOMES SINCE 1987


Quote no:
Ref: POULTER
Mrs POULTER

28th March 2023


(7) THE HALL - uPVC - Casement Window - 2200 w x 1600 h

Qty 1

Viewed from Outside



Viewed from Inside



Glass/Panel/Composite Options:

Glass type: Double Glazed Toughened Glass

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Frame Options:

Outer Frame Finish: Smooth White
Inner Frame Finish: Smooth White
Outer Sash Finish: Not Applicable
Inner Sash Finish: Not Applicable
Cill: 150mm
Cill Finish: Smooth White
Handle Finish: Not Applicable
Restrictor: Not Applicable
Sash Horns: Not Applicable
Hinge type: Not Applicable
Trickle Vent: No Trickle Vent

Fitting Options:

Standard Fit
Use Existing Internal Cill
No Brickwork Construction Included
No Plastering Included
No Brickwork Removal Included
No Above Window Support Included
No Liners Included
No Tiled Cill Removal Included
No Timber Studding Included





Brackenwood

IMPROVING HOMES SINCE 1987


Quote no:
Ref: POULTER
Mrs POULTER

28th March 2023


(8) THE HALL - uPVC - Casement Window - 2200 w x 1600 h

Qty 1

Viewed from Outside



Viewed from Inside



Glass/Panel/Composite Options:

Glass type: Double Glazed Toughened Glass

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Frame Options:

Outer Frame Finish: Smooth White
Inner Frame Finish: Smooth White
Outer Sash Finish: Not Applicable
Inner Sash Finish: Not Applicable
Cill: 150mm
Cill Finish: Smooth White
Handle Finish: Not Applicable
Restrictor: Not Applicable
Sash Horns: Not Applicable
Hinge type: Not Applicable
Trickle Vent: No Trickle Vent

Fitting Options:

Standard Fit
Use Existing Internal Cill
No Brickwork Construction Included
No Plastering Included
No Brickwork Removal Included
No Above Window Support Included
No Liners Included
No Tiled Cill Removal Included
No Timber Studding Included





Brackenwood

IMPROVING HOMES SINCE 1987


Quote no:
Ref: POULTER
Mrs POULTER

28th March 2023


(9) THE HALL - uPVC - Casement Window - 2200 w x 1100 h

Qty 1

Viewed from Outside



Viewed from Inside



Glass/Panel/Composite Options:

Glass type: Double Glazed Toughened Glass

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Frame Options:

Outer Frame Finish: Smooth White
Inner Frame Finish: Smooth White
Outer Sash Finish: Not Applicable
Inner Sash Finish: Not Applicable
Cill: 150mm
Cill Finish: Smooth White
Handle Finish: Not Applicable
Restrictor: Not Applicable
Sash Horns: Not Applicable
Hinge type: Not Applicable
Trickle Vent: No Trickle Vent

Fitting Options:

Standard Fit
Use Existing Internal Cill
No Brickwork Construction Included
No Plastering Included
No Brickwork Removal Included
No Above Window Support Included
No Liners Included
No Tiled Cill Removal Included
No Timber Studding Included

Item Notes:
SHAPED FRAME





Brackenwood

IMPROVING HOMES SINCE 1987


Quote no:
Ref: POULTER
Mrs POULTER

28th March 2023


(10) THE HALL - uPVC - Casement Window - 2200 w x 1600 h

Qty 1

Viewed from Outside



Viewed from Inside



Glass/Panel/Composite Options:

Glass type: Double Glazed Toughened Glass

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Frame Options:

Outer Frame Finish: Smooth White
Inner Frame Finish: Smooth White
Outer Sash Finish: Not Applicable
Inner Sash Finish: Not Applicable
Cill: 150mm
Cill Finish: Smooth White
Handle Finish: Not Applicable
Restrictor: Not Applicable
Sash Horns: Not Applicable
Hinge type: Not Applicable
Trickle Vent: No Trickle Vent

Fitting Options:

Standard Fit
Use Existing Internal Cill
No Brickwork Construction Included
No Plastering Included
No Brickwork Removal Included
No Above Window Support Included
No Liners Included
No Tiled Cill Removal Included
No Timber Studding Included





Brackenwood

IMPROVING HOMES SINCE 1987


Quote no:
Ref: POULTER
Mrs POULTER

28th March 2023


(11) THE HALL - uPVC - Casement Window - 2200 w x 1600 h

Qty 1

Viewed from Outside



Viewed from Inside



Glass/Panel/Composite Options:

Glass type: Double Glazed Toughened Glass

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Frame Options:

Outer Frame Finish: Smooth White
Inner Frame Finish: Smooth White
Outer Sash Finish: Not Applicable
Inner Sash Finish: Not Applicable
Cill: 150mm
Cill Finish: Smooth White
Handle Finish: Not Applicable
Restrictor: Not Applicable
Sash Horns: Not Applicable
Hinge type: Not Applicable
Trickle Vent: No Trickle Vent

Fitting Options:

Standard Fit
Use Existing Internal Cill
No Brickwork Construction Included
No Plastering Included
No Brickwork Removal Included
No Above Window Support Included
No Liners Included
No Tiled Cill Removal Included
No Timber Studding Included





Brackenwood

IMPROVING HOMES SINCE 1987


Quote no:
Ref: POULTER
Mrs POULTER

28th March 2023


(12) THE HALL - uPVC - Casement Window - 2200 w x 1100 h

Qty 1

Viewed from Outside



Viewed from Inside



Glass/Panel/Composite Options:

Glass type: Double Glazed Toughened Glass

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Frame Options:

Outer Frame Finish: Smooth White
Inner Frame Finish: Smooth White
Outer Sash Finish: Not Applicable
Inner Sash Finish: Not Applicable
Cill: 150mm
Cill Finish: Smooth White
Handle Finish: Not Applicable
Restrictor: Not Applicable
Sash Horns: Not Applicable
Hinge type: Not Applicable
Trickle Vent: No Trickle Vent

Fitting Options:

Standard Fit
Use Existing Internal Cill
No Brickwork Construction Included
No Plastering Included
No Brickwork Removal Included
No Above Window Support Included
No Liners Included
No Tiled Cill Removal Included
No Timber Studding Included

Item Notes:
SHAPED FRAME





Brackenwood

IMPROVING HOMES SINCE 1987


Quote no:
Ref: POULTER
Mrs POULTER

28th March 2023


(13) THE HALL - uPVC - Casement Window - 680 w x 2100 h

Qty 1

Viewed from Outside



Viewed from Inside



Glass/Panel/Composite Options:

Glass type: Double Glazed Float Glass
Glass type: Double Glazed Toughened Glass

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Glass feature: Outer: Smooth White / Inner: Smooth White / Bar Type: 25mm Internal Georgian Bar

Frame Options:

Outer Frame Finish: Smooth White
Inner Frame Finish: Smooth White
Outer Sash Finish: Smooth White
Inner Sash Finish: Smooth White
Cill: 150mm
Cill Finish: Smooth White
Handle Finish: White
Restrictor: No Restrictor Included
Sash Horns: Not Included
Hinge type: Friction Stay Hinges
Trickle Vent: With Trickle Vent

Fitting Options:

Standard Fit
Use Existing Internal Cill
No Brickwork Construction Included
No Plastering Included
No Brickwork Removal Included
No Above Window Support Included
No Liners Included
No Tiled Cill Removal Included
No Timber Studding Included



2 X SHAPED FRAMES : Item 13 of 13

£ 1130.00



Brackenwood

IMPROVING HOMES SINCE 1987

Quote no:
Ref: POULTER
Mrs POULTER

28th March 2023

Deposit :	£ 1500.00	Total :	£ 12283.76
Survey stage payment :	£ 4369.37		
Pre Install payment:	£ 4369.37	Vat @: 20.00%	£ 2456.75
Balance :	£ 4501.77	Total payable :	£ 14740.51

BRA-25112022 - TG-22536 W-40 D-0 CD-0 BFD-0 AW-0 AD-0 DO-7081 OPD-38 C-247 Andy Pickavance]





Responsibilities

Remove radiator(s)	Not applicable
Remove socket(s)	Not applicable
Remove blinds/curtains etc.	By Customer